

## 2000 年からの主要論文

Moriai S, Takahara M, Ogino T, Nagato T, Kishibe K, Ishii H, Katayama A, Shimizu N, Harabuchi Y. Production of interferon- $\gamma$ -inducible protein-10 and its role as an autocrine invasion factor in nasal natural killer/t-cell lymphoma cells. *Clin Cancer Res.* 15: 6771-9. 2009

Ogino T, Moriai S, Ishida Y, Ishii H, Katayama A, Miyokawa N, Harabuchi Y, Ferrone S. Association of immunoevasion mechanisms with Epstein-Barr virus infection in nasopharyngeal carcinoma. *Int J Cancer.* 120: 2401-10, 2007

Shigyo H, Nonaka S, Katada A, Bandoh N, Ogino T, Katayama A, Takahara M, Hayashi T, Harabuchi Y. Inducible nitric oxide synthase expression in various laryngeal lesions in relation to carcinogenesis, angiogenesis, and patients' prognosis. *Acta Otolaryngol.* 127: 970-9. 2007

Katayama A, Ogino T, Bandoh N, Takahara M, Kishibe K, Nonaka S, Harabuchi Y. Overexpression of small ubiquitin-related modifier-1 and sumoylated Mdm2 in oral squamous cell carcinoma: possible involvement in tumor proliferation and prognosis. *Int J Oncol.* 31: 517-24, 2007

Ishii H, Ogino T, Berger C, Köchli-Schmitz N, Nagato T, Takahara M, Nadal D, Harabuchi Y. Clinical usefulness of serum EBV DNA levels of BamHI W and LMP1 for Nasal NK/T-cell lymphoma. *J Med Virol.* 79: 562-72, 2007

荻野 武, 石井秀幸, 安部裕介, 植原元晴, 金関延幸, 野中 聡, 原渕保明. シラカンバ花粉症患者の治療に対する満足度調査. *耳鼻臨床* 99: 835-43, 2006

Ogino T, Shigyo H, Ishii H, Katayama A, Miyokawa N, Harabuchi Y, Ferrone S. HLA class I antigen down-regulation in primary laryngeal squamous cell carcinoma lesions as a poor prognostic marker. *Cancer Res* 66: 9281-9, 2006

Nagamine M, Takahara M, Kishibe K, Nagato T, Ishii H, Bandoh N, Ogino T, Harabuchi Y. Sequence variations of Epstein-Barr virus LMP1 gene in nasal NK/T-cell lymphoma. *Virus Genes* Aug 18 [Epub ahead of print] 2006

Chang CC, Ogino T, Mullins DW, Oliver JL, Yamshchikov GV, Bandoh N, Slingluff CL Jr, Ferrone S. Defective human leukocyte antigen class I-associated antigen presentation caused by a novel beta2-microglobulin loss-of-function in melanoma cells. *J Biol Chem* 281: 18763-73, 2006

Lopez-Albaitero A, Nayak JV, Ogino T, Machandia A, Gooding W, DeLeo AB, Ferrone S, Ferris RL. Role of antigen-processing machinery in the in vitro resistance of squamous cell carcinoma of the head and neck cells to recognition by CTL. *J Immunol* 176: 3402-9, 2006

荻野武, 石井秀幸, 安部裕介, 今田正信, 林達哉, 野中聡, 原渕保明. アンケート調査におけるアレルギー性鼻炎患者 QOL に影響する因子についての検討. *日本耳鼻咽喉科学会会報* 108: 715-23, 2005

Nagato T, Kobayashi H, Kishibe K, Takahara M, Ogino T, Ishii H, Oikawa K, Aoki N, Sato K, Kimura S, Shimizu N, Tateno M, Harabuchi Y. Expression of Interleukin 9 in Nasal Natural Killer (NK)/T-Cell Lymphoma Cell Lines and Patients: Possible Role as an Autocrine Growth Factor. *Clin Cancer Res* 11: 8250-7, 2005

Bandoh N, Ogino T, Cho HS, Hur SY, Shen J, Wang X, Kato S, Miyokawa N, Harabuchi Y, Ferrone S. Development and characterization of human constitutive proteasome and immunoproteasome subunit-specific monoclonal antibodies. *Tissue Antigens* 66: 185-94, 2005

Bandoh N, Hayashi T, Takahara M, Kishibe K, Ogino T, Katayama A, Imada M, Nonaka S, Harabuchi Y. Loss of p21 expression is associated with p53 mutations and increased cell proliferation and p27 expression is associated with apoptosis in maxillary sinus squamous cell carcinoma. *Acta Otolaryngol* 125: 779-85, 2005

Katayama A, Ogino T, Bandoh N, Nonaka S, Harabuchi Y. Expression of CXCR4 and its down-regulation by IFN-gamma in head and neck squamous cell carcinoma. *Clin Cancer Res* 11: 2937-46, 2005

Yamshchikov GV, Mullins DW, Chang CC, Ogino T, Thompson L, Presley J, Galavotti H, Aquila W, Deacon D, Ross W, Patterson JW, Engelhard VH, Ferrone S,

Slingluff CL Jr. Sequential immune escape and shifting of T cell responses in a long-term survivor of melanoma. *J Immunol.* 174: 6863-71, 2005

Wang X, Campoli M, Cho HS, Ogino T, Bandoh N, Shen J, Hur SY, Kageshita T, Ferrone S. A method to generate antigen-specific mAb capable of staining formalin-fixed, paraffin-embedded tissue sections. *J Immunol Methods* 299: 139-51, 2005

安部裕介, 柳内充, 長門利純, 荻野武, 原渕保明. 北海道における花粉症原因抗原の地域性. *アレルギー* 54: 59-67, 2005

Bandoh N, Hayashi T, Takahara M, Kishibe K, Ogino T, Katayama A, Imada M, Nonaka S, Harabuchi Y. VEGF and bFGF expression and microvessel density of maxillary sinus squamous cell carcinoma in relation to p53 status, spontaneous apoptosis and prognosis. *Cancer Lett* 208: 215-25, 2004

Katayama A, Bandoh N, Kishibe K, Takahara M, Ogino T, Nonaka S, Harabuchi Y. Expressions of matrix metalloproteinases in early-stage oral squamous cell carcinoma as predictive indicators for tumor metastases and prognosis. *Clin Cancer Res* 10: 634-40, 2004

荻野武, 中根東, 長野悦治, 岸部幹, 石井秀幸, 片山昭公, 森合重誉, 荒川卓哉, 安達正明, 東谷敏孝, 長峯正泰, 野澤はやぶさ, 林達哉, 安部裕介, 大崎隆士, 斎藤滋, 金谷健史, 原渕保明. ロイコトリエン受容体拮抗薬プラシルカスト水和物(オノン)のアレルギー性鼻炎患者 QOL に対する有用性. *新薬と臨床* 53: 879-85, 2004

Ogino T, Wang X, Kato S, Miyokawa N, Harabuchi Y, Ferrone S. Endoplasmic reticulum chaperone-specific monoclonal antibodies for flow cytometry and immunohistochemical staining. *Tissue Antigens* 62: 385-93, 2003

Ogino T, Bandoh N, Hayashi T, Miyokawa N, Harabuchi Y, Ferrone S. Association of Tapasin and HLA Class I Antigen Down-Regulation in Primary Maxillary Sinus Squamous Cell Carcinoma Lesions with Reduced Survival of Patients. *Clin Cancer Res* 9: 4043-51, 2003

Ogino T, Wang X, Ferrone S. Modified flow cytometry and cell-ELISA methodology

to detect HLA class I antigen processing machinery components in cytoplasm and endoplasmic reticulum. *J Immunol Methods*. 278: 33-44, 2003

荻野武, 石井秀幸, 長門利純, 岸部幹, 片山昭公, 原渕保明. 頭頸部癌細胞株における HLA class I 抗原と関連蛋白の発現解析. *耳鼻免疫アレルギー* 21: 170-1, 2003

Chersi A, Galati R, Ogino T, Butler R, Tanigaki N. Anti-peptide antibodies that recognize conformational differences of HLA class I intracytoplasmic domains. *Hum Immunol*. 63: 731-41, 2002

Ogino T, Sato K, Miyokawa N, Kimura S, Katagiri M. Importance of GAD65 peptides and I-A<sup>g7</sup> in the development of insulinitis in nonobese diabetic mice. *Immunogenetics* 51: 538-45. 2000